

Naturist Legacy Park Pool Plan View and Access Control

Drawn by John Kundert

Date: March 9, 2012

Scale: .25" (one square) = 2 feet (.61m)

References are to Manitoba Regulation 132/97

- | | |
|---|--|
| A | House rules sign including wording per Section 6(2) in letters not less than 2.5cm on a contrasting background per Section 6(4). |
| B | "No Diving" warnings spaced 7.9m apart in letters not less than 10cm high on a contrasting background per Section 7(4)b. |
| C | First aid kit per Section 10(1) and Schedule B, and telephone per Section 10(2). |
| D | Chain link fencing constructed per Section 15(1)a,b,c,d is 6 feet or 1.82m in vertical height with lockable gates of the same height. Fencing has 2 inch or 5.1cm mesh size and 9 gauge wire size. |
| E | Smooth wood fencing per Section 15(1)e is 6 feet or 1.82m in vertical height and does not provide foot or toe holds. |
| F | Wood splash deck surrounding pool has an unobstructed hard surface measuring 4.6 to 5 feet (1.4 to 1.52m) wide per Section 19(1). Small gaps between deck boards will allow water drainage. |
| G | Water depth measured in metres spaced 7.9m apart in letters not less than 10cm high on a contrasting background on the deck edge and sides of the pool above the water line per Section 20(2)a. |
| H | Ladder for egress per Section 22(1). |
| I | Walk-in stairs equipped with handrail and non-slip treads marked with 2.5-5cm stripe per Section 22(1.1)b,c, Section 22(2) and Section 22(3). |
| J | Signs per Section 26(1) with wording 4cm or more in height indicating that no lifeguard is on duty and that children under 12 must be accompanied by an adult. |
| K | Signs per Section 26(2) indicating hours of operation. |
| L | A reaching pole and buoyant throwing device per Section 27 and a spine board per Schedule B. |

OTHER NOTES

(1) This 33 foot (10.1m) diameter pool will have 52 inch (1.3m) vertical side walls and a water depth of 46 inches (1.2m). It will have a surface area of 855 square feet (79.4 square metres).

(2) The pool side walls will average approximately 16 inches (41cm) above grade and approximately 36 inches (91cm) below grade.

(3) A wood splash deck (see F above) will surround the pool. The deck will average approximately 16 inches (41cm) above grade with one step around the perimeter leading to ground level.

(4) The dashed lines represent additional decking which will be added to the pool area adjacent to the wood fencing (E) in the future.

(5) Regarding Section 11(2), this swimming pool will not be operated after sundown. Therefore, no lighting system or emergency lighting is included in this plan.

